## **LISTING OF THE CLAIMS**

No amendments to the claims are made in this Response. This listing of pending claims is provided for the convenience of the Examiner.

1. (Previously Presented) A method of configuring communications in a voice network via a data network, comprising:

receiving, via the data network, at least one pattern for forwarding communications in the voice network and applicable to a time period, the at least one pattern including a source identifier, a destination number and a forwarding destination identifier;

storing the at least one pattern in a calendar; and configuring the voice network based on the at least one pattern and the time period.

- (Original) The method of claim 1, further comprising:
  forwarding communications in the voice network based on the at least one pattern and the time period.
- 3. (Previously Presented) The method of claim 1, wherein receiving at least one pattern for forwarding communications comprises receiving information indicating a call forwarding sequence in the voice network.
- 4. (Previously Presented) The method of claim 1, wherein configuring the voice network based on the at least one pattern and the time period comprises setting a trigger in the voice network based on the at least one pattern and the time period.
- (Previously Presented) A method comprising: providing a calendar-based form over a data network, including a plurality of time periods;

→→→ USPATENT-AMEND

receiving, in the calendar-based form, pattern information identifying a pattern for forwarding communications in a voice network, the pattern information including a source identifier, a destination identifier and a destination forwarding identifier;

storing the pattern information in a database system; and determining at least one of the plurality of time periods that the pattern is in effect.

- 6. (Previously Presented) The method of claim 5, further comprising: providing the pattern and the at least one of the plurality of time periods to the voice network.
- 7. (Previously Presented) A method of forwarding communications in a voice network, comprising:

receiving, via a data network, pattern information indicating a pattern for forwarding communications in a time period of a calendar, the pattern information including a source identifier, a destination identifier and a forwarding destination identifier:

storing the pattern information;

receiving a communications request associated with the source identifier and directed to the destination identifier:

forwarding the communications request to the forwarding destination identifier based on the time period, the destination identifier and the source identifier.

8. (Previously Presented) Apparatus for configuring communications in a voice network via a data network, comprising:

means for receiving, via the data network, at least one pattern for forwarding communications and applicable to a time period, the at least one pattern including a source identifier, a destination number and a forwarding destination identifier;

means for storing the at least one pattern in a calendar; and means for configuring the voice network based on the at least one pattern and the time period.

is in effect.

- (Original) The apparatus of claim 8, further comprising:
  means for forwarding communications in the voice network based on the at least one pattern and the time period.
- 10. (Previously Presented) The apparatus of claim 8, wherein the means for receiving at least one pattern for forwarding communications comprises means for receiving information indicating a call forwarding sequence in the voice network.
- 11. (Previously Presented) The apparatus of claim 8, wherein the means for configuring the voice network based on the at least one pattern and the time period comprises means for setting a trigger in the voice network based on the at least pattern and the time period.
- 12. (Previously Presented) Apparatus comprising: means for providing a calendar including a plurality of time periods; means for receiving, in the calendar, pattern information identifying a pattern for forwarding communications in a voice network, the pattern information including a source identifier, a destination identifier and a destination forwarding identifier; means for storing the pattern in a database system; and means for determining at least one of the plurality of time periods that the pattern
- 13. (Previously Presented) Apparatus for forwarding communications in a voice network, comprising:

means for receiving via a data network, pattern information indicating a pattern for forwarding communications in a time period of a calendar, the pattern information including a source identifier, a destination identifier and a forwarding destination identifier;

means for storing the pattern information;

means for receiving a communications request associated with the source identifier and directed to the destination identifier;

means for forwarding the communications request to the forwarding destination identifier based on the time period, the destination identifier and the source identifier.

14. (Previously Presented) A computer readable medium comprising computer program code capable of configuring a device to perform a method of configuring communications in a voice network via a data network, the method comprising:

receiving, via the data network, at least one pattern for forwarding communications in the voice network and applicable to a time period, the at least one pattern including a source identifier, a destination number and a forwarding destination identifier;

storing the at least one pattern in the calendar; and configuring the voice network based on the at least one pattern and the time period.

15. (Previously Presented) A computer readable medium comprising computer program code capable of configuring a device to perform a method comprising:

providing a calendar-based form over a data network including a plurality of time periods;

receiving, in the calendar-based form, pattern information identifying a pattern for forwarding communications in a voice network, the pattern information including a source identifier, a destination identifier and a destination forwarding identifier;

storing the pattern information in a database system; and determining at least one of the plurality of time periods that the pattern is in effect.

16. (Previously Presented) A computer readable medium comprising computer program code capable of configuring a device to perform a method of forwarding communications in a voice network, comprising:

receiving, via a data network, pattern information indicating a pattern for forwarding communications in a time period of a calendar, the pattern information including a source identifier, a destination identifier and a forwarding destination identifier;

storing the pattern information;

receiving a communications request associated with the source identifier and directed to the destination identifier;

forwarding the communications request to the forwarding destination identifier based on the time period, the destination identifier and the source identifier.